

**stylex**

# **Insight Mesh**

PRICE LIST  
Effective November 1, 2022

PRODUCT INFORMATION

APPLICATIONS:

EXECUTIVE / CONFERENCE

MEDIUM SEAT  
MEDIUM BACK

MEDIUM SEAT  
HIGH BACK

DRAFTING  
STOOL

DRAFTING  
STOOL

GENERAL INFORMATION

DIMENSIONS / OVERVIEW

SIZE 6 MESH BACK

SIZE 8 MESH BACK

INTERMEDIATE HEIGHT


FULL HEIGHT

GENERAL DIMENSIONS


- A. SEAT HEIGHT\*
- B. SEAT DEPTH
- C. BACK HEIGHT
- D. SEAT WIDTH & OVERALL WIDTH (ARMLESS)
- E. MAXIMUM OVERALL HEIGHT\*

\* MEASUREMENTS GIVEN ARE ACCURATE FOR MOST CONTROLS. SPECIFIC MODELS MAY VARY SLIGHTLY.


- A. 17"- 21"
- B. 18"
- C. 20"
- D. 20.5"
- E. 35.5"- 39"




- A. 17"- 21"
- B. 18"
- C. 24"
- D. 20.5"
- E. 39"- 42.5"



- A. 20.5"-28.5"
- B. 18"
- C. 18"
- D. 20.5"
- E. 46.5"



- A. 23.5"-33.5"
- B. 18"
- C. 18"
- D. 20.5"
- E. 51.5"



DESIGN  
STYLEX


**BACK CONSTRUCTION**  
BACKS CONSIST OF A MESH COVER ENCASING A 5/8" STEEL ROD FRAME THAT HAS BEEN SEALED IN A SOFT PROTECTIVE URETHANE. THE MESH ITSELF IS A KNIT COMBINATION OF POLYESTER AND ELASTOMERIC THREAD.

**SEAT CONSTRUCTION**  
SEATS INCORPORATE COMPOUND CURVE PLYWOOD COVERED WITH CUSHIONS OF CFC-FREE POLYURETHANE.


T-SHAPE ADJUSTABLE ARM OPTION

- A. OVERALL WIDTH
- B. DISTANCE BETWEEN ARMS
- C. ARM HEIGHT


- A. 26"
- B. 19"
- C. 6.5"-9.5"




- A. 26"
- B. 19"
- C. 6.5"-9.5"



- A. 26"
- B. 19"
- C. 6.5"-9.5"



- A. 26"
- B. 19"
- C. 6.5"-9.5"



ARMS

HEIGHT-ADJUSTABLE ARMS HAVE PADS MADE FROM SELF-SKINNED URETHANE OVER A STEEL FRAME. FIXED HEIGHT CANTILEVER ARMS MAY BE BLACK POLYURETHANE, UPHOLSTERED, OR CAST ALUMINUM. ALUMINUM ARMS MAY BE POLISHED OR PAINTED WITH OR WITHOUT CAPS. CAPS MAY BE UPHOLSTERED OR BLACK PLASTIC.


BASES

THE STANDARD FIVE PRONG BASE IS BLACK, GLASS-FILLED NYLON. AN OPTIONAL CAST ALUMINUM BASE IS AVAILABLE EITHER WITH HIGHLY POLISHED FINISH OR A CHOICE OF POWDER COAT FINISHES.


CANTILEVERED FIXED ARM OPTION

- A. OVERALL WIDTH
- B. DISTANCE BETWEEN ARMS
- C. ARM HEIGHT


- A. 25"
- B. 21"
- C. 8.5"




- A. 25"
- B. 21"
- C. 8.5"



- A. 25"
- B. 21"
- C. 8.5"



- A. 25"
- B. 21"
- C. 8.5"



CASTERS





OPTIONAL RUBBER-TIRED CASTERS MUST BE USED ON HARD FLOORS SUCH AS WOOD, LINOLEUM OR CONCRETE. PLEASE BE SURE TO SPECIFY RUBBER-TIRED CASTERS FOR THESE APPLICATIONS.

TESTING

MANUFACTURED TO COMPLY WITH ANSI/BIFMA X5.1 GENERAL OFFICE CHAIR TESTS.

ENVIRONMENT

GREENGUARD CERTIFIED.

SERIES	STYLE	SIZE	CONTROL	ARMS	DESCRIPTION	YDG. SQ. FT.		FABRIC UPHOLSTERY GRADES												LEATHER UPHOLSTERY GRADES								
						C.O.M.	C.O.L.	A	B	C	D	E	F	G	H	I	J	W	X	Y	E1	E2						
	<b>MEDIUM BACK</b>																											
	IN	1	6	10	00	ARMLESS	.75	10	801	836	870	906	937	974	1,014	1,055	1,097	1,148	1,000	1,047	1,271	1,319	1,522					
	IN	1	6	10	59	ADJUSTABLE HEIGHT, BLACK, URETHANE CAP	.75	10	1,005	1,041	1,077	1,109	1,147	1,180	1,218	1,265	1,306	1,353	1,207	1,252	1,485	1,523	1,733					
	IN	1	6	10	69	ADJUSTABLE HEIGHT, CHROME, URETHANE CAP	.75	10	1,022	1,055	1,091	1,125	1,162	1,197	1,233	1,278	1,319	1,368	1,220	1,268	1,499	1,536	1,751					
	IN	1	6	10	51	FIXED HEIGHT C-ARM, BLACK URETHANE	.75	10	1,005	1,041	1,077	1,109	1,147	1,180	1,218	1,265	1,306	1,353	1,207	1,252	1,485	1,523	1,733					
	IN	1	6	10	54/64	C-ARM, PAINTED OR POLISHED ALUMINUM	.75	10	1,169	1,204	1,237	1,272	1,308	1,345	1,380	1,425	1,467	1,516	1,368	1,414	1,656	1,687	1,906					
	IN	1	6	10	55/65	C-ARM, PAINTED OR POLISHED, PLASTIC CAP	.75	10	1,205	1,240	1,273	1,310	1,346	1,380	1,416	1,460	1,503	1,552	1,404	1,453	1,693	1,722	1,944					
	IN	1	6	10	56/66	C-ARM, PAINTED OR POLISHED, UPHOLSTERED CAP	.75	10	1,241	1,278	1,311	1,347	1,382	1,416	1,455	1,497	1,539	1,590	1,443	1,487	1,731	1,759	1,981					
	IN	1	6	10	57	FIXED HEIGHT C-ARM, FULLY UPHOLSTERED		21					1,430						1,679	1,764	2,326	2,465	2,872					
	<b>HIGH BACK</b>																											
	IN	1	8	10	00	ARMLESS	.75	10	852	889	921	958	993	1,027	1,063	1,107	1,150	1,200	1,052	1,096	1,325	1,368	1,574					
	IN	1	8	10	59	ADJUSTABLE HEIGHT, BLACK, URETHANE CAP	.75	10	1,056	1,093	1,126	1,164	1,199	1,233	1,270	1,313	1,356	1,404	1,257	1,304	1,539	1,575	1,790					
	IN	1	8	10	69	ADJUSTABLE HEIGHT, CHROME, URETHANE CAP	.75	10	1,075	1,107	1,142	1,177	1,213	1,247	1,284	1,328	1,371	1,419	1,272	1,318	1,556	1,591	1,806					
	IN	1	8	10	51	FIXED HEIGHT C-ARM, BLACK URETHANE	.75	10	1,056	1,093	1,126	1,164	1,199	1,233	1,270	1,313	1,356	1,404	1,257	1,304	1,539	1,575	1,790					
	IN	1	8	10	54/64	C-ARM, PAINTED OR POLISHED ALUMINUM	.75	10	1,219	1,254	1,287	1,325	1,359	1,395	1,430	1,475	1,518	1,565	1,419	1,464	1,710	1,734	1,958					
	IN	1	8	10	55/65	C-ARM, PAINTED OR POLISHED, PLASTIC CAP	.75	10	1,256	1,292	1,326	1,360	1,396	1,430	1,468	1,513	1,555	1,602	1,457	1,502	1,749	1,774	1,998					
	IN	1	8	10	56/66	C-ARM, PAINTED OR POLISHED, UPHOLSTERED CAP	.75	10	1,293	1,328	1,361	1,398	1,431	1,468	1,504	1,550	1,592	1,638	1,493	1,537	1,785	1,810	2,036					
	IN	1	8	10	57	FIXED HEIGHT C-ARM, FULLY UPHOLSTERED		21					1,484						1,630	1,714	2,377	2,512	2,922					

TO ORDER FOLLOW STEPS 1-7

1 SERIES/STYLE/SIZE	2 CONTROLS/FUNCTION	3 ARM CHOICES	4 MESH	5 OPTIONS	6 FINISH CHOICES	7 COVER
---------------------	---------------------	---------------	--------	-----------	------------------	---------

**IN 16** MESH MEDIUM BACK  
SEAT: MEDIUM  
20.5"W X 18.5"D  
BACK: MEDIUM  
20"H X 20.5"W

**IN 18** MESH HIGH BACK  
SEAT: MEDIUM  
20.5"W X 18.5"D  
BACK: HIGH  
24"H X 20.5"W

**10** CENTER PIVOT TILT  
ADJUSTMENTS: PNEUMATIC  
SEAT HEIGHT, TILT TENSION,  
TILT LOCK OUT

**00** ARMLESS

**59** ADJUSTABLE HEIGHT ARM,  
BLACK, URETHANE CAP

**69** ADJUSTABLE HEIGHT ARM,  
CHROME, URETHANE CAP

**51** FIXED HEIGHT C-ARM,  
BLACK URETHANE

**54** FIXED HEIGHT C-ARM,  
PAINTED ALUMINUM

**64** FIXED HEIGHT C-ARM  
POLISHED ALUMINUM

**55** FIXED HEIGHT C-ARM,  
PAINTED ALUMINUM  
WITH PLASTIC CAP

**65** FIXED HEIGHT C-ARM,  
POLISHED ALUMINUM  
WITH PLASTIC CAPS

**56** FIXED HEIGHT C-ARM,  
PAINTED ALUMINUM  
WITH UPHOLSTERED CAP

**66** FIXED HEIGHT C-ARM,  
POLISHED ALUMINUM  
WITH UPHOLSTERED CAP

**57** FIXED HEIGHT C-ARM,  
UPHOLSTERED

NOTE: COMS, COLS AND  
IN-GRADED FABRICS MUST BE  
APPROVED SPECIFICALLY FOR  
UPHOLSTERED ARM CAPS.

**MESH**

**30** ANTHRACITE  
**31** MUSHROOM  
**32** ZINC  
**33** JAVA  
**34** BLACK ICE  
**35** CAMEL  
**36** MARINE  
**38** SILVER ICE

**R** RUBBER TIRED CASTERS +38


**GL** GLIDE SUBSTITUTION +00

**CT** CONTRASTING THREAD +00

**B22** PAINTED CAST  
ALUMINUM BASE  
CHOOSE FINISH +82

**B23** POLISHED CAST  
ALUMINUM BASE +82

**BG** BUMPER GUARDS  
RECOMMENDED FOR  
WORKSTATION USE. +25



**STANDARD POWDER PAINT +00**

BM BLACK MATTE (STD)	NY NAVY*
BT BLACK TWILIGHT*	NK NICKEL*
BL BLUE*	OR ORANGE*
BR BRASS*	PY PALE YELLOW*
CP CHAMPAGNE*	RD RED*
DB DARK BRONZE*	RO RED ORANGE*
DG DARK GRAY*	RR RUSTY RED*
DP DUSTY PINK*	SD SAND*
FG FOREST GREEN*	SB SOFT BLUE*
LG LIGHT GRAY*	TC TERRACOTTA*
MG MEADOW GREEN*	TP TAUPE*
MS METALLIC SILVER*	TS TEXTURED SLATE*
MK MILK*	YL YELLOW*

\* THE FINISH SELECTION WILL BE APPLIED  
TO THE ALUMINUM BASE AND/OR ARMS  
PER THE MODEL CODES.

POLISHED ARMS CAN BE ORDERED WITH A  
PAINTED BASE OR VICE VERSA BY DESIG-  
NATING ONE COMPONENT FOR PAINTED  
FINISH AND THE OTHER AS POLISHED.

SEE SWATCH CARDS FOR  
STANDARD UPHOLSTERY  
OPTIONS.

SEE GENERAL INFORMATI-  
ON SECTION FOR  
DETAILS ON COM AND  
IN-GRADED FABRIC  
PROGRAM.

SEE GENERAL INFORMATI-  
ON SECTION FOR CAL  
133 INFORMATION.

# insight mesh

CONFERENCE - LIGHT TASK  
MESH BACK

SERIES	STYLE	SIZE	CONTROL	ARMS	DESCRIPTION	YDG. SQ.FT.		FABRIC UPHOLSTERY GRADES										LEATHER UPHOLSTERY GRADES								
						C.O.M.	C.O.L.	A	B	C	D	E	F	G	H	I	J	W	X	Y	E1	E2				
<b>MEDIUM BACK</b>																										
	IN	1	6	16	00	ARMLESS	.75	10	904	936	971	1,007	1,043	1,080	1,117	1,161	1,202	1,250	1,104	1,149	1,376	1,420	1,629			
	IN	1	6	16	59	ADJUSTABLE HEIGHT, BLACK, URETHANE CAP	.75	10	1,108	1,146	1,178	1,214	1,248	1,284	1,321	1,365	1,409	1,457	1,310	1,355	1,592	1,626	1,841			
	IN	1	6	16	69	ADJUSTABLE HEIGHT, CHROME, URETHANE CAP	.75	10	1,124	1,161	1,192	1,229	1,266	1,299	1,336	1,380	1,423	1,470	1,325	1,369	1,609	1,644	1,860			
	IN	1	6	16	51	FIXED HEIGHT C-ARM, BLACK URETHANE	.75	10	1,108	1,146	1,178	1,214	1,248	1,284	1,321	1,365	1,409	1,457	1,310	1,355	1,592	1,626	1,841			
	IN	1	6	16	54/64	C-ARM, PAINTED OR POLISHED ALUMINUM	.75	10	1,271	1,307	1,339	1,375	1,412	1,446	1,484	1,527	1,568	1,619	1,470	1,517	1,763	1,788	2,012			
	IN	1	6	16	55/65	C-ARM, PAINTED OR POLISHED, PLASTIC CAP	.75	10	1,282	1,318	1,351	1,386	1,418	1,455	1,489	1,531	1,572	1,622	1,476	1,560	1,805	1,825	2,050			
	IN	1	6	16	56/66	C-ARM, PAINTED OR POLISHED, UPHOLSTERED CAP	.75	10	1,346	1,380	1,414	1,452	1,485	1,520	1,556	1,599	1,644	1,691	1,547	1,591	1,840	1,861	2,090			
	IN	1	6	16	57	FIXED HEIGHT C-ARM, FULLY UPHOLSTERED		21				1,534							1,779	1,882	2,431	2,563	2,974			
<b>HIGH BACK</b>																										
	IN	1	8	16	00	ARMLESS	.75	10	957	991	1,025	1,058	1,094	1,129	1,167	1,212	1,253	1,302	1,156	1,201	1,432	1,472	1,682			
	IN	1	8	16	59	ADJUSTABLE HEIGHT, BLACK, URETHANE CAP	.75	10	1,162	1,197	1,230	1,267	1,300	1,336	1,372	1,416	1,459	1,507	1,360	1,405	1,649	1,679	1,899			
	IN	1	8	16	69	ADJUSTABLE HEIGHT, CHROME, URETHANE CAP	.75	10	1,175	1,212	1,244	1,280	1,314	1,351	1,388	1,430	1,473	1,522	1,375	1,420	1,663	1,692	1,913			
	IN	1	8	16	51	FIXED HEIGHT C-ARM, BLACK URETHANE	.75	10	1,162	1,197	1,230	1,267	1,300	1,336	1,372	1,416	1,459	1,507	1,360	1,405	1,649	1,679	1,899			
	IN	1	8	16	54/64	C-ARM, PAINTED OR POLISHED ALUMINUM	.75	10	1,324	1,358	1,393	1,427	1,462	1,497	1,534	1,579	1,622	1,669	1,522	1,566	1,818	1,840	2,068			
	IN	1	8	16	55/65	C-ARM, PAINTED OR POLISHED, PLASTIC CAP	.75	10	1,359	1,395	1,428	1,463	1,498	1,534	1,570	1,614	1,657	1,709	1,558	1,603	1,853	1,877	2,104			
	IN	1	8	16	56/66	C-ARM, PAINTED OR POLISHED, UPHOLSTERED CAP	.75	10	1,396	1,430	1,464	1,499	1,535	1,570	1,605	1,651	1,693	1,744	1,595	1,643	1,893	1,913	2,144			
	IN	1	8	16	57	FIXED HEIGHT C-ARM, FULLY UPHOLSTERED		21				1,588							1,866	1,954	2,530	2,664	3,087			

TO ORDER FOLLOW STEPS 1-7

1 SERIES/STYLE/SIZE    2 CONTROLS/FUNCTION    3 ARM CHOICES    4 MESH    5 OPTIONS    6 FINISH CHOICES    7 COVER

**IN 16** MESH MEDIUM BACK  
SEAT: MEDIUM  
20.5"W X 18.5"D  
BACK: MEDIUM  
20"H X 20.5"W

**IN 18** MESH HIGH BACK  
SEAT: MEDIUM  
20.5"W X 18.5"D  
BACK: HIGH  
24"H X 20.5"W

**16** MID PIVOT TILT  
ADJUSTMENTS: PNEUMATIC  
SEAT HEIGHT, TILT TENSION,  
TILT LOCK

**00** ARMLESS

**59** ADJUSTABLE HEIGHT ARM,  
BLACK, URETHANE CAP

**69** ADJUSTABLE HEIGHT ARM,  
CHROME, URETHANE CAP

**51** FIXED HEIGHT C-ARM,  
BLACK URETHANE

**54** FIXED HEIGHT C-ARM,  
PAINTED ALUMINUM

**64** FIXED HEIGHT C-ARM  
POLISHED ALUMINUM

**55** FIXED HEIGHT C-ARM,  
PAINTED ALUMINUM  
WITH PLASTIC CAP

**65** FIXED HEIGHT C-ARM,  
POLISHED ALUMINUM  
WITH PLASTIC CAPS

**56** FIXED HEIGHT C-ARM,  
PAINTED ALUMINUM  
WITH UPHOLSTERED CAP

**66** FIXED HEIGHT C-ARM,  
POLISHED ALUMINUM  
WITH UPHOLSTERED CAP

**57** FIXED HEIGHT C-ARM,  
UPHOLSTERED

NOTE: COMS, COLS AND  
IN-GRADED FABRICS MUST BE  
APPROVED SPECIFICALLY FOR  
UPHOLSTERED ARM CAPS.

**MESH**

30 ANTHRACITE  
31 MUSHROOM  
32 ZINC  
33 JAVA  
34 BLACK ICE  
35 CAMEL  
36 MARINE  
38 SILVER ICE

**R** RUBBER TIRED CASTERS +38


**GL** GLIDE SUBSTITUTION +00

**CT** CONTRASTING THREAD +00

**B22** PAINTED CAST  
ALUMINUM BASE  
CHOOSE FINISH +82

**B23** POLISHED CAST  
ALUMINUM BASE +82

**BG** BUMPER GUARDS  
RECOMMENDED FOR  
WORKSTATION USE. +25



**STANDARD POWDER PAINT +00**

BM BLACK MATTE (STD)	NY NAVY*
BT BLACK TWILIGHT*	NK NICKEL*
BL BLUE*	OR ORANGE*
BR BRASS*	PY PALE YELLOW*
CP CHAMPAGNE*	RD RED*
DB DARK BRONZE*	RO RED ORANGE*
DG DARK GRAY*	RR RUSTY RED*
DP DUSTY PINK*	SD SAND*
FG FOREST GREEN*	SB SOFT BLUE*
LG LIGHT GRAY*	TC TERRACOTTA*
MG MEADOW GREEN*	TP TAUPE*
MS METALLIC SILVER*	TS TEXTURED SLATE*
MK MILK*	YL YELLOW*

\* THE FINISH SELECTION WILL BE APPLIED  
TO THE ALUMINUM BASE AND/OR ARMS  
PER THE MODEL CODES.

POLISHED ARMS CAN BE ORDERED WITH A  
PAINTED BASE OR VICE VERSA BY DESIG-  
NATING ONE COMPONENT FOR PAINTED  
FINISH AND THE OTHER AS POLISHED.

SEE SWATCH CARDS FOR  
STANDARD UPHOLSTERY  
OPTIONS.

SEE GENERAL INFORMA-  
TION SECTION FOR  
DETAILS ON COM AND  
IN-GRADED FABRIC  
PROGRAM.

SEE GENERAL INFORMA-  
TION SECTION FOR CAL  
133 INFORMATION.

DESCRIPTION

C.O.M.

















C.O.L.

FABRIC  
UPHOLSTERY  
GRADES

C.O.M.

C.O.L.

LEATHER UPHOLSTERY  
GRADES

SERIES	STYLE	SIZE	CONTROL	ARMS	YDG.	SQ.FT.	A	B	C	D	E	F	G	H	I	J	W	X	Y	E1	E2		
<b>MEDIUM BACK</b>																							
	IN	1	6	27	00	ARMLESS	.75	10	1,005	1,041	1,077	1,109	1,147	1,180	1,218	1,265	1,306	1,353	1,207	1,252	1,485	1,523	1,733
	IN	1	6	27	59	ADJUSTABLE HEIGHT, BLACK, URETHANE CAP	.75	10	1,213	1,247	1,282	1,315	1,352	1,388	1,425	1,468	1,512	1,558	1,413	1,458	1,701	1,729	1,952
	IN	1	6	27	69	ADJUSTABLE HEIGHT, CHROME, URETHANE CAP	.75	10	1,228	1,265	1,297	1,332	1,367	1,401	1,439	1,484	1,526	1,572	1,427	1,471	1,717	1,745	1,967
	IN	1	6	27	51	FIXED HEIGHT C-ARM, BLACK URETHANE	.75	10	1,213	1,247	1,282	1,315	1,352	1,388	1,425	1,468	1,512	1,558	1,413	1,458	1,701	1,729	1,952
	IN	1	6	27	54/64	C-ARM, PAINTED OR POLISHED ALUMINUM	.75	10	1,373	1,410	1,444	1,477	1,515	1,550	1,588	1,631	1,672	1,720	1,572	1,620	1,872	1,891	2,122
	IN	1	6	27	55/65	C-ARM, PAINTED OR POLISHED, PLASTIC CAP	.75	10	1,412	1,446	1,481	1,516	1,551	1,588	1,624	1,666	1,711	1,759	1,609	1,656	1,911	1,928	2,160
	IN	1	6	27	56/66	C-ARM, PAINTED OR POLISHED, UPHOLSTERED CAP	.75	10	1,447	1,484	1,517	1,552	1,589	1,624	1,659	1,703	1,747	1,794	1,647	1,692	1,948	1,965	2,198
	IN	1	6	27	57	FIXED HEIGHT C-ARM, FULLY UPHOLSTERED		21			1,636								1,918	2,003	2,581	2,713	3,136
<b>HIGH BACK</b>																							
	IN	1	8	27	00	ARMLESS	.75	10	1,056	1,093	1,126	1,164	1,199	1,233	1,270	1,313	1,356	1,404	1,257	1,304	1,539	1,575	1,790
	IN	1	8	27	59	ADJUSTABLE HEIGHT, BLACK, URETHANE CAP	.75	10	1,266	1,299	1,333	1,368	1,403	1,439	1,475	1,520	1,561	1,609	1,463	1,511	1,756	1,781	2,007
	IN	1	8	27	69	ADJUSTABLE HEIGHT, CHROME, URETHANE CAP	.75	10	1,279	1,313	1,348	1,383	1,418	1,455	1,489	1,534	1,578	1,628	1,477	1,523	1,770	1,794	2,019
	IN	1	8	27	51	FIXED HEIGHT C-ARM, BLACK URETHANE	.75	10	1,266	1,299	1,333	1,368	1,403	1,439	1,475	1,520	1,561	1,609	1,463	1,511	1,756	1,781	2,007
	IN	1	8	27	54/64	C-ARM, PAINTED OR POLISHED ALUMINUM	.75	10	1,426	1,460	1,494	1,529	1,564	1,599	1,636	1,680	1,724	1,772	1,628	1,671	1,923	1,943	2,173
	IN	1	8	27	55/65	C-ARM, PAINTED OR POLISHED, PLASTIC CAP	.75	10	1,462	1,497	1,530	1,565	1,601	1,636	1,675	1,718	1,761	1,810	1,663	1,710	1,963	1,979	2,212
	IN	1	8	27	56/66	C-ARM, PAINTED OR POLISHED, UPHOLSTERED CAP	.75	10	1,498	1,534	1,566	1,602	1,637	1,675	1,712	1,755	1,797	1,847	1,697	1,745	2,002	2,015	2,252
	IN	1	8	27	57	FIXED HEIGHT C-ARM, FULLY UPHOLSTERED		21			1,689								1,968	2,056	2,636	2,764	3,191

TO ORDER FOLLOW STEPS 1-7

1 SERIES/STYLE/SIZE 2 CONTROLS/FUNCTION 3 ARM CHOICES 4 MESH 5 OPTIONS 6 FINISH CHOICES 7 COVER

**IN 16** MESH MEDIUM BACK  
SEAT: MEDIUM  
20.5"W X 18.5"D  
BACK: MEDIUM  
20"H X 20.5"W

**IN 18** MESH HIGH BACK  
SEAT: MEDIUM  
20.5"W X 18.5"D  
BACK: HIGH  
24"H X 20.5"W

**27** MID PIVOT SYNCHRO TILT  
ADJUSTMENTS: PNEUMATIC  
SEAT HEIGHT, BACK ANGLE,  
TILT TENSION  
• OPTIONAL SEAT SLIDE

**00** ARMLESS

**59** ADJUSTABLE HEIGHT ARM,  
BLACK, URETHANE CAP

**69** ADJUSTABLE HEIGHT ARM,  
CHROME, URETHANE CAP

**51** FIXED HEIGHT C-ARM,  
BLACK URETHANE

**54** FIXED HEIGHT C-ARM,  
PAINTED ALUMINUM

**64** FIXED HEIGHT C-ARM  
POLISHED ALUMINUM

**55** FIXED HEIGHT C-ARM,  
PAINTED ALUMINUM  
WITH PLASTIC CAP

**65** FIXED HEIGHT C-ARM,  
POLISHED ALUMINUM  
WITH PLASTIC CAPS

**56** FIXED HEIGHT C-ARM,  
PAINTED ALUMINUM  
WITH UPHOLSTERED CAP

**66** FIXED HEIGHT C-ARM,  
POLISHED ALUMINUM  
WITH UPHOLSTERED CAP

**57** FIXED HEIGHT C-ARM,  
UPHOLSTERED

NOTE: COMS, COLS AND  
IN-GRADED FABRICS MUST BE  
APPROVED SPECIFICALLY FOR  
UPHOLSTERED ARM CAPS.

**MESH**

**30** ANTHRACITE

**31** MUSHROOM

**32** ZINC

**33** JAVA

**34** BLACK ICE

**35** CAMEL

**36** MARINE

**38** SILVER ICE

**55** SEAT SLIDE +108

**R** RUBBER TIERED CASTERS +38


**GL** GLIDE SUBSTITUTION +00

**CT** CONTRASTING THREAD +00

**B22** PAINTED CAST  
ALUMINUM BASE  
CHOOSE FINISH +82

**B23** POLISHED CAST  
ALUMINUM BASE +82

**BG** BUMPER GUARDS  
RECOMMENDED FOR  
WORKSTATION USE +25



**STANDARD POWDER PAINT +00**

BM BLACK MATTE (STD)	NY NAVY*
BT BLACK TWILIGHT*	NK NICKEL*
BL BLUE*	OR ORANGE*
BR BRASS*	PY PALE YELLOW*
CP CHAMPAGNE*	RD RED*
DB DARK BRONZE*	RO RED ORANGE*
DG DARK GRAY*	RR RUSTY RED*
DP DUSTY PINK*	SD SAND*
FG FOREST GREEN*	SB SOFT BLUE*
LG LIGHT GRAY*	TC TERRACOTTA*
MG MEADOW GREEN*	TP TAUPE*
MS METALLIC SILVER*	TS TEXTURED SLATE*
MK MILK*	YL YELLOW*

\* THE FINISH SELECTION WILL BE APPLIED  
TO THE ALUMINUM BASE AND/OR ARMS  
PER THE MODEL CODES.

POLISHED ARMS CAN BE ORDERED WITH A  
PAINTED BASE OR VICE VERSA BY DESIG-  
NATING ONE COMPONENT FOR PAINTED  
FINISH AND THE OTHER AS POLISHED.

SEE SWATCH CARDS FOR  
STANDARD UPHOLSTERY  
OPTIONS.

SEE GENERAL INFORMA-  
TION SECTION FOR  
DETAILS ON COM AND  
IN-GRADED FABRIC  
PROGRAM.

SEE GENERAL INFORMA-  
TION SECTION FOR CAL  
133 INFORMATION.

# insight mesh

GENERAL ENVIRONMENT  
DRAFTING  
MESH BACK

DESCRIPTION

C.O.M.  
C.O.L.





C.O.M.  
C.O.L.

FABRIC  
UPHOLSTERY  
GRADES

C.O.M.  
C.O.L.

C.O.M.  
C.O.L.

LEATHER UPHOLSTERY  
GRADES

SERIES STYLE SIZE CONTROL CYLINDER ARMS								YDG.SQ.FT.		FABRIC UPHOLSTERY GRADES										LEATHER UPHOLSTERY GRADES						
										A	B	C	D	E	F	G	H	I	J	W	X	Y	E1	E2		
<b>INTERMEDIATE DRAFTING HEIGHT</b>																										
		IN	1	5	61	M	00	ARMLESS	.75	10	928	963	997	1,034	1,066	1,104	1,139	1,184	1,228	1,274	1,148	1,202	1,403	1,445	1,652	
		IN	1	5	61	M	59	ADJUSTABLE HEIGHT, BLACK, URETHANE CAP	.75	10	1,135	1,170	1,204	1,239	1,273	1,310	1,347	1,391	1,431	1,483	1,353	1,409	1,619	1,651	1,871	
		IN	1	5	61	M	69	ADJUSTABLE HEIGHT, CHROME, URETHANE CAP	.75	10	1,149	1,184	1,218	1,253	1,287	1,325	1,360	1,404	1,447	1,496	1,366	1,423	1,634	1,664	1,884	
		IN	1	5	61	M	51	FIXED HEIGHT C-ARM, BLACK URETHANE	.75	10	1,135	1,170	1,204	1,239	1,273	1,310	1,347	1,391	1,431	1,483	1,353	1,409	1,619	1,651	1,871	
		IN	1	5	61	M	54/64	C-ARM, PAINTED OR POLISHED ALUMINUM	.75	10	1,297	1,332	1,365	1,400	1,434	1,470	1,507	1,552	1,594	1,644	1,517	1,571	1,791	1,814	2,040	
		IN	1	5	61	M	55/65	C-ARM, PAINTED OR POLISHED, PLASTIC CAP	.75	10	1,333	1,368	1,401	1,435	1,471	1,507	1,547	1,590	1,632	1,679	1,552	1,607	1,827	1,850	2,079	
		IN	1	5	61	M	56/66	C-ARM, PAINTED OR POLISHED, UPHOLSTERED CAP	.75	10	1,369	1,404	1,439	1,473	1,511	1,547	1,584	1,628	1,668	1,717	1,645	1,698	1,923	1,943	2,173	
		IN	1	5	61	M	57	FIXED HEIGHT C-ARM, FULLY UPHOLSTERED		21			1,558								1,980	2,096	2,505	2,638	3,059	
<b>FULL DRAFTING HEIGHT</b>																										
		IN	1	5	61	H	00	ARMLESS	.75	10	930	966	1,000	1,037	1,074	1,106	1,143	1,186	1,230	1,279	1,150	1,205	1,405	1,447	1,656	
		IN	1	5	61	H	59	ADJUSTABLE HEIGHT, BLACK, URETHANE CAP	.75	10	1,137	1,172	1,207	1,241	1,278	1,312	1,350	1,394	1,434	1,485	1,356	1,412	1,622	1,653	1,873	
		IN	1	5	61	H	69	ADJUSTABLE HEIGHT, CHROME, URETHANE CAP	.75	10	1,151	1,186	1,220	1,256	1,292	1,327	1,362	1,409	1,453	1,498	1,368	1,426	1,636	1,666	1,886	
		IN	1	5	61	H	51	FIXED HEIGHT C-ARM, BLACK URETHANE	.75	10	1,137	1,172	1,207	1,241	1,278	1,312	1,350	1,394	1,434	1,485	1,356	1,412	1,622	1,653	1,873	
		IN	1	5	61	H	54/64	C-ARM, PAINTED OR POLISHED ALUMINUM	.75	10	1,299	1,335	1,368	1,403	1,439	1,473	1,512	1,555	1,597	1,646	1,520	1,575	1,793	1,818	2,042	
		IN	1	5	61	H	55/65	C-ARM, PAINTED OR POLISHED, PLASTIC CAP	.75	10	1,336	1,371	1,404	1,441	1,475	1,512	1,549	1,592	1,634	1,682	1,555	1,610	1,832	1,852	2,081	
		IN	1	5	61	H	56/66	C-ARM, PAINTED OR POLISHED, UPHOLSTERED CAP	.75	10	1,372	1,409	1,443	1,476	1,513	1,549	1,587	1,630	1,671	1,719	1,592	1,648	1,871	1,890	2,120	
		IN	1	5	61	H	57	FIXED HEIGHT C-ARM, FULLY UPHOLSTERED		21			1,561								1,983	2,098	2,507	2,641	3,061	

TO ORDER FOLLOW STEPS 1-8

1 SERIES/STYLE/SIZE 2 CONTROLS/FUNCTION CYLINDER 3 ARM CHOICES 4 MESH 5 OPTIONS 6 FINISH CHOICES 7 COVER

